

Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$



Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$

$$t = x^2 + 3 \quad \text{substituer}$$

Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$

$$\begin{aligned} t &= x^2 + 3 && \text{substituer} \\ \frac{dt}{dx} &= 2x && \text{differentier} \end{aligned}$$

Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$

$$\begin{aligned} t &= x^2 + 3 && \text{substituer} \\ \frac{dt}{dx} &= 2x && \text{differentier} \\ \frac{1}{2x} dt &= dx && \text{isoler } dx \end{aligned}$$

Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$

$$\int \frac{2x}{x^2 + 3} dx = \int \frac{2x}{t} \frac{1}{2x} dt$$

$$\begin{aligned} t &= x^2 + 3 && \text{substituer} \\ \frac{dt}{dx} &= 2x && \text{differentier} \\ \frac{1}{2x} dt &= dx && \text{isoler } dx \end{aligned}$$

Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$

$$\begin{aligned} \int \frac{2x}{x^2 + 3} dx &= \int \frac{2x}{t} \frac{1}{2x} dt \\ &= \int \frac{1}{t} dt \end{aligned}$$

$$\begin{aligned} t &= x^2 + 3 && \text{substituer} \\ \frac{dt}{dx} &= 2x && \text{differentier} \\ \frac{1}{2x} dt &= dx && \text{isoler } dx \end{aligned}$$

Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$

$$\begin{aligned} \int \frac{2x}{x^2 + 3} dx &= \int \frac{2x}{t} \frac{1}{2x} dt \\ &= \int \frac{1}{t} dt \\ &= \ln(t) + C \end{aligned}$$

$$\begin{aligned} t &= x^2 + 3 && \text{substituer} \\ \frac{dt}{dx} &= 2x && \text{differentier} \\ \frac{1}{2x} dt &= dx && \text{isoler } dx \end{aligned}$$

Bestem integraltet

$$\int \frac{2x}{x^2 + 3} dx$$

$$\begin{aligned} \int \frac{2x}{x^2 + 3} dx &= \int \frac{2x}{t} \frac{1}{2x} dt \\ &= \int \frac{1}{t} dt \\ &= \ln(t) + C \\ &= \ln(x^2 + 3) + C \end{aligned}$$

$$\begin{aligned} t &= x^2 + 3 && \text{substituer} \\ \frac{dt}{dx} &= 2x && \text{differentier} \\ \frac{1}{2x} dt &= dx && \text{isoler } dx \end{aligned}$$